NPL Search

SEARCH NOTES FOR EAST, IEEE, INSPEC, IP.COM, AND PROQUEST

SERIAL NUMBER

10/540533

1) EAST SEARCH

(automatic\$4 with gain\$3 with control\$4) or "AGC"

interrogator same (threshold adj3 voltage)

(gain adj3 ris\$3) same (gain adj3 lower\$3)

interrogator same transponder

((gain adj3 ris\$3) with laps\$3 with (wait\$4 adj3 period) with (threshold adj3 voltage)).clm.

2) IEEE SEARCH

a) Results for ((threshold voltage<in>metadata) <and> (transponder<in>metadata))<and> (interrogator<in>metadata) Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

b) Results for ((((automatic <near/3> gain <near/3> control) or 'agc') and (threshold <sentence> voltage) and (transponder) and interrogator)<in>metadata)

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

3) IP.COM SEARCH

No records matched your search.

Perhaps you should try a less restrictive query.

Search query: tra nsponder and interrogator and (threshold w/3 voltage) and (gain w/3 control)

NPL Search

4) PROQUEST SEARCH

No documents found for: (((threshold w/3 voltage) w/para (automatically w/3 gain))) AND ((transponder w/para interrogator)) AND (((gain w/3 rising) or (gain w/3 lowering)))

5) INSPEC

| 1 | INZZ | automatic\$4 WITH control\$4 OR AGC | unrestricted | 90001 | show titles |
|---|------|-------------------------------------|--------------|-------|-------------|
| 2 | INZZ | automatic\$4 WITH control\$4 OR AGC | unrestricted | 90001 | show titles |
| 3 | INZZ | gain\$3 WITH ris\$3 | unrestricted | 1498 | show titles |
| 4 | INZZ | gain\$3 WITH lower\$3 | unrestricted | 3246 | show titles |
| 5 | INZZ | 2 AND 3 AND 4 | unrestricted | 1 | show titles |
| 6 | INZZ | transponder AND interrogator | unrestricted | 82 | show titles |
| 7 | INZZ | 2 AND 6 | unrestricted | 3 | show titles |
| 8 | INZZ | threshold WITH voltage | unrestricted | 14657 | show titles |
| 9 | INZZ | 7 AND 8 | unrestricted | 0 | - |

6) GOOGLE

Web Scholar Results 1 - 10 of about 539 for threshold voltage and transponder and interrogator and gain Scholarly articles for threshold voltage and transponder and interrogator and gain control and gain rising and gain lowering



<u>Communication system and method having wide dynamic ...</u> - Robinson - Cited by 29 <u>Distance measuring equipment</u> - Koshìo - Cited by 10 <u>Transponder arrangement</u> - Meier - Cited by 24

Communication system and method having wide dynamic range digital ...

5. An automatic **gain control** system comprising: (a) a **transponder** for generating output signals in response to an **interrogation** signal; ... www.freepatentsonline.com/4301445.html - 74k - Cached - Similar pages

Reducing false wake-up in a low frequency transponder - Patent ...
[0017] The external control device may dynamically configure the gain for LC antenna when the input voltage exceeds the threshold voltage, VDE.sub. ...
www.freepatentsonline.com/20050237160.html - 79k - Cached - Similar pages
[More results from www.freepatentsonline.com]

Communication system and method having wide dynamic range digital ...

An automatic gain control system comprising: (a) a transponder for generating output

Also, the threshold or reference voltage from resistor R10 to the ...

www.wikipatents.com/4301445.html - 173k - Cached - Similar pages

<u>Distance measuring equipment - Patent Review 4455556</u>

NPL Search.

A distance measuring equipment, in which an **interrogation** pulse is transmitted and input to an Instantaneous Automatic **Gain Control** (IAGC) circuit 39. ... www.wikipatents.com/4455556.html - 163k - <u>Cached</u> - <u>Similar pages</u> [<u>More results from www.wikipatents.com</u>]

<u>Digitally programmable radio modules for transponder systems - US ...</u>

R.F. communication system **interrogation** apparatus and method supplied to a noise automatic **gain control** unit (AGC) 1200 and a second amplifier 1010g. ...

www.patentstorm.us/patents/5712628-description.html - 115k - <u>Cached</u> - <u>Similar pages</u>

<u>Duplex transmission in an electromagnetic transponder system - US ...</u> This **control** results in varying the **voltage** across diode 24, and thus its junction ... The improvement depends in this case on the phase loop **gain**. ... www.patentstorm.us/patents/6784785-description.html - 76k - <u>Cached</u> - <u>Similar pages</u> [More results from www.patentstorm.us]